



Powercor 2024/25 Pricing



Table of contents

1.	Introduction	2
1.1	Our business	2
1.2	2024/25 Network and metering charges	3
2.	Network charges	4
2.1	Network tariff schedule	4
2.2	Trial tariffs	5
2.3	Indicative network pricing schedule for 2025/26	7
2.4	Charging parameters and tariff eligibility	8
2.5	Further information on kVA demand	12
3.	Alternative control services	15
3.1	Fee based services	15
3.2	Quoted Ancillary Network services	19
3.3	Public lighting services	22
3.4	Unmetered Supplies	23
3.5	Metering coordinator services	24
3.6	Reserve feeder services	25

1. Introduction

This document provides network pricing information for the period 1 July 2024 to 30 June 2025.

1.1 Our business


We own and manage assets that deliver electricity to more than 919,000 homes and businesses across Melbourne's outer western suburbs, and central and western Victoria.

In servicing Victoria, our primary responsibility is planning, building, operating and maintaining the 'poles and wires' — a strategic community asset and core component of Victoria's energy infrastructure. We seek to do this in a safe, reliable, efficient and prudent manner.

We connect residential and commercial customers to a safe and reliable electricity supply. Our key activities include:

- maintaining network safety and reliability to meet the current power supply needs of our customers
- extending and upgrading the network so that the future power supply needs of customers are met when required
- operating the network on a day-to-day basis
- connecting new customers to the network
- maintaining the public lighting system
- providing metering services.

FIGURE 1 POWERCOR GEOGRAPHY



1.2 2024/25 Network and metering charges



Network tariffs cover the cost of transporting electricity to and from our customers' homes or businesses.

Metering tariffs cover the cost of the meter installation, maintenance and meter data services.

We pass network and metering charges on to electricity retailers, who in turn pass them on to customers via electricity bills.

Our network tariffs can be grouped into the following tariff classes:

FIGURE 2 TARIFF CLASSES

	Tariff class	Supply voltage	Maximum demand
	Residential	< 1 kV	N/A
	Small and medium business	< 1 kV	< 120 kVA
	Large low voltage	< 1 kV	> 120 kVA
	High voltage	≥ 1 kV < 66 kV	N/A
	Sub-transmission	≥ 66 kV	N/A

2. Network charges

2.1 Network tariff schedule

TABLE 1 NETWORK TARIFF 2024/25

Network Tariff 2024/25	Code	Fixed c/day	Demand Charges				Usage		
			Jul-Jun	Dec-Mar	Dec-Mar	Apr-Nov	Anytime	Peak	Off-peak
			\$/kVA/month	\$/kVA/month	\$/kW/month	\$/kW/month	c/kWh	c/kWh	c/kWh
Residential Single Rate	D1	39.73	-	-	-	-	9.67	-	-
Residential ToU	PRTOU	39.73	-	-	-	-	-	18.34	4.61
Residential Demand	DD	39.73	-	-	12.47	3.75	4.87	-	-
Dedicated circuit	DD1	-	-	-	-	-	-	-	2.62
Small Business Single Rate	ND1	52.05	-	-	-	-	10.62	-	-
Small Business ToU	NDTOU	52.05	-	-	-	-	-	18.73	4.16
Small Business Demand	NDD	52.05	-	-	20.17	9.01	6.37	-	-
Medium Business Demand	NDM	356.16	-	-	20.17	9.01	6.37	-	-
Medium Business Opt-out	NDMO21	356.16	-	-	-	-	-	17.54	5.10
Unmetered supply	PL2	-	-	-	-	-	-	18.80	6.02
Large low Voltage Transitional	LLVT1	-	11.55	12.60	-	-	-	4.09	2.89
Large low Voltage Transitional	LLVT2	-	11.55	12.60	-	-	-	4.09	2.89
Large low Voltage	LLV1	-	11.55	12.60	-	-	-	4.09	2.89
Large low Voltage	LLV2	-	11.55	12.60	-	-	-	4.09	2.89
High Voltage Transitional	HVT1	-	7.15	9.52	-	-	-	2.51	1.68
High Voltage Transitional	HVT2	-	7.15	9.52	-	-	-	2.51	1.68
High Voltage	HV1	-	7.15	9.52	-	-	-	2.51	1.68
High Voltage	HV2	-	7.15	9.52	-	-	-	2.51	1.68
Subtransmission	ST2	-	3.29	-	-	-	-	1.97	0.92

Notes:

- 5-minute settlement does not change or have any impacts on our network tariffs
- All time of use energy and demand measurements are adjusted for Australian Eastern Daylight Time (AEDT), i.e., they are based on local time. Exceptions are unmetered supply tariff PL2 where the tariff is based on Australian Eastern Standard Time (AEST).

2.2 Trial tariffs

TABLE 2 TRIAL TARIFFS 2024/25 TARIFFS

Trial Network Tariff 2024/25	Code	Fixed	Usage - IMPORT				Usage - EXPORT			Demand Charges				
			Critical	Peak	Off-peak	Saver	Peak	Off-peak	Saver	Jul-Jun	Dec-Mar	Dec-Mar	Apr-Nov	Jul-Jun
		c/day	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	c/kWh	\$/kVA/ month	\$/kVA/ month	\$/kW/ month	\$/kW/ month	\$/kW/ month
Residential daytime saver	PRDS	39.73	-	18.63	6.68	-	-	-	-	-	-	-	-	-
Community battery time of use	PNDDB	45.00	-	25.00	-	1.50	1.00	-	-	-	-	-	-	-
Distributor-owned community battery	PDBB	0.80	-	-	-	-	-	-	-	-	-	-	-	-
HV storage	HV2A	-	-	2.51	1.68	-	-	-	-	7.15	9.52	-	-	-
Generator storage	GT	-	-	2.00	2.00	-	-	-	-	-	-	-	-	8.00

Notes:

- All trial tariffs will end on 30 June 2026 and customers will be transferred to approved network tariffs.
- ‘Import’ is electricity flows from the network to the customer, ‘export’ is electricity flows from the customer back to the network

Generator storage:

- Available to generation sites which only use ancillary power (such as a solar or wind farm) or generation and storage sites (such as a battery or battery and solar farm)
- It is not intended to be used for loads which are co-located with generation or storage, for instance an EV charging station with a battery
- Can be connected to any voltage level in the distribution network
- kW demand charge based on the highest 30-minute demand measured over the last 12 months either over 4-9pm or over 11am-4pm depending on location, every day of the year, local time

Residential daytime saver:

- Available to any residential customer with an AMI meter
- Retailer can opt a residential customer in and out of the trial tariff at any time
- Peak period is 4pm-9pm, saver period is 10am-3pm, and off-peak is all other times, from Monday to Sunday, local time
- Customer numbers will be capped at 1% of distribution revenue which is approximately 17,000 customers

Community battery time of use:

- Applies to any battery-only site with a capacity of no more than 240 kVA connected to the low voltage network where the battery is not owned by the distributor
- Required to be metered by an AMI or COMMS (type 1-4) meter depending on the size of the battery
- Negative values are a rebate

Distributor owned community battery:

- Applies to any new battery-only site with a capacity of no more than 240 kVA connected to the low voltage network where the battery is owned by Powercor
- Required to be metered by an AMI or COMMS (type 1-4) meter depending on the size of the battery
- Tariff rate is per kWh of contracted capacity

HV storage

- For a generation / storage only site
- Must be directly connected to a 22 KV feeder which typically peaks from 4pm to 9pm
- Must not receive avoided Customer TUOS charges
- Any site that is assigned to this tariff will remain on this tariff until 30 June 2026

EV charger critical peak

- Tariff closed

Each trial tariff has a forecast revenue that is less than 1 per cent of the TAR, and all trial tariffs have a combined forecast revenue less than 5 per cent of TAR.

2.3 Indicative network pricing schedule for 2025/26

TABLE 3 INDICATIVE NETWORK (NUOS) PRICES 2025/26

Network Tariff 2025/26	Code	Fixed c/day	Demand Charges				Usage		
			Jul-Jun	Dec-Mar	Dec-Mar	Apr-Nov	Anytime	Peak	Off-peak
			\$/kVA/month	\$/kVA/month	\$/kW/month	\$/kW/month	c/kWh	c/kWh	c/kWh
Residential Single Rate	D1	41.10	-	-	-	-	10.31	-	-
Residential ToU	PRTOU	41.10	-	-	-	-	-	19.56	4.92
Residential Demand	DD	41.10	-	-	13.30	4.00	5.19	-	-
Dedicated circuit	DD1	41.10	-	-	-	-	-	-	2.78
Small Business Single Rate	ND1	53.42	-	-	-	-	11.33	-	-
Small Business ToU	NDTOU	53.42	-	-	-	-	-	19.99	4.44
Small Business Demand	NDD	53.42	-	-	21.48	9.58	6.77	-	-
Medium Business Demand	NDM	356.16	-	-	21.48	9.60	6.78	-	-
Medium Business Opt-out	NDMO21	356.16	-	-	-	-	-	18.69	5.42
Unmetered supply	PL2	-	-	-	-	-	-	20.12	6.44
Large low Voltage Transitional	LLVT1	-	12.33	13.23	-	-	-	4.33	3.06
Large low Voltage Transitional	LLVT2	-	12.33	13.23	-	-	-	4.33	3.06
Large low Voltage	LLV1	-	12.33	13.23	-	-	-	4.33	3.06
Large low Voltage	LLV2	-	12.33	13.23	-	-	-	4.33	3.06
High Voltage Transitional	HVT1	-	7.62	10.00	-	-	-	2.65	1.78
High Voltage Transitional	HVT2	-	7.62	10.00	-	-	-	2.65	1.78
High Voltage	HV1	-	7.62	10.00	-	-	-	2.65	1.78
High Voltage	HV2	-	7.62	10.00	-	-	-	2.65	1.78
Subtransmission	ST2	-	3.50	-	-	-	-	2.07	0.97

2.4 Charging parameters and tariff eligibility

TABLE 4 RESIDENTIAL TARIFF CLASS

Tariff type	Tariff Code	Status	Supply voltage	Energy / Demand threshold	Standing	Anytime energy	Peak energy	Off-peak energy	Summer demand	Non-summer demand
					c/day	c/kWh	c/kWh	c/kWh	\$/kW/month	\$/kW/month
ToU	PRTOU	Default	< 1kV	N/A	✓		all days 3pm-9pm	non-peak times		
Single rate	D1	Opt-in			✓	✓				
Demand	DD	Opt-in			✓	✓			workdays 3pm-9pm	workdays 3pm-9pm
Dedicated circuit	DD1	Opt-in								

Notes:

- All times are local time
- Powercor may periodically review that customers are assigned to the correct tariff. Affected retailers will be notified of any intended tariff transfers in advance
- Summer period covers December to March, non-summer is April to November
- **PRTOU** is the default residential tariff for greenfield new connections, new or upgraded solar or battery installations, three-phase upgrades and customers with a dedicated electric vehicle charger with a specified capacity or charging rate of 3.6kW or greater. This will occur without any B2B Service Order requests or notifications and MSATS will be updated accordingly.
- **D1** is available to any residential customer except if they have a dedicated electric vehicle charger with a specified capacity or charging rate of 3.6kW or greater
- **PRTOU** and **DD** require an active market interval read meter
- **DD1** is available to customers with a dedicated circuit connected to a time-switch
- For residential demand tariff with dedicated circuit, the demand calculation will only apply to consumption on the General Power & Light circuits. The dedicated circuit will not contribute to the demand reading and will be separately tarified per the appropriate dedicated circuit tariff such as **DD1**
- **DD** demand component will be billed based on the highest 30-minute KW reading in the maximum demand period for each month and is not based on a rolling 12-month period

Hot water

- Available to 1-phase electric hot water service with a total load of <30 amps

- Switching Times: Switching times will vary depending on localised demand management activities.

Slab heating

- Typically switching times may vary depending on localised demand management activities normally between 12am and 7am.
- An afternoon boost between 1pm and 4pm may occur during winter.

TABLE 5 SMALL AND MEDIUM BUSINESS TARIFF CLASS

Tariff type	Tariff Code	Status	Supply voltage	Energy / Demand threshold	Standing	Anytime energy	Peak energy	Off-peak energy	Summer demand	Non-summer demand
					c/day	c/kWh	c/kWh	c/kWh	\$/kW/month	\$/kW/month
ToU	NDTOU	Default	< 1kV	< 40MWh pa	✓		workdays 9am-9pm	Non-peak times		
Single rate	ND1	Opt-in			✓	✓				
Demand	NDD	Opt-in			✓	✓			workdays 10am-6pm	workdays 10am-6pm
Medium business demand	NDM	Default		> 40MWh pa < 120KVA	✓	✓			workdays 10am-6pm	workdays 10am-6pm
Medium business opt-out	NDMO21	Opt-out		< 160MWh pa	✓		workdays 10am-6pm	Non-peak times		
Unmetered supply	PL2	Default		unmetered			weekdays 7am-11pm	Non-peak times		

Notes:

- All times are local time, except for **PL2**
- Summer period covers December to March, non-summer is April to November
- **NDTOU** is the default small business tariff for greenfield new connections, new or upgraded solar or battery installations, three-phase upgrades and customers with a dedicated electric vehicle charger with a specified capacity or charging rate of 3.6kW or greater. This will occur without any B2B Service Order requests or notifications and MSATS will be updated accordingly.
- **ND1** is available to any small business customer except if they have a dedicated electric vehicle charger with a specified capacity or charging rate of 3.6kW or greater
- For small and medium demand tariffs with dedicated circuit, the demand calculation will only apply to consumption on the General Power & Light circuits. The dedicated circuit will not contribute to the demand reading and will be separately tarified per the appropriate dedicated circuit tariff such as **DD1**
- **NDD** and **NDM** demand component will be billed based on the highest 30-minute KW reading in the maximum demand period for each month and is not based on a rolling 12-month period

- **NDTOU, NDD, NDM** and **NDMO21** require an active market interval read meter
- **NDM** customers consuming less than 160 MWh pa can opt out of the demand tariff to **NDMO21**
- **NDM** energy rate is reflected as anytime rate in our pricing schedule, however on our bill it will show as peak 7am-11pm workdays and off peak all other time with the exactly the same rate


TABLE 6 LARGE LOW VOLTAGE, HIGH VOLTAGE AND SUB-TRANSMISSION TARIFF CLASSES

Tariff type	Tariff Code	Status	Supply voltage	Demand threshold	Minimum chargeable rolling demand	Peak energy	Off-peak energy	12-month rolling demand	Summer incentive demand
					kVA	c/kWh	c/kWh	\$/kVA/month	\$/kVA/month
Large Low Voltage transition	LLVT1 LLVT2	Closed	< 1kV	≥ 120kVA	120	workdays 7am-7pm	Non-peak times	workdays 7am-7pm	1-4pm or 4-7pm
High Voltage transition	HVT1 HVT2	Closed	≥ 1kV < 66KV	N/A	500	workdays 7am-7pm	Non-peak times	workdays 7am-7pm	1-4pm or 4-7pm
Large Low Voltage	LLV1 LLV2	Default	< 1kV	≥ 120kVA	120	workdays 7am-7pm	Non-peak times	workdays 7am-7pm	1-4pm or 4-7pm
High Voltage	HV1 HV2	Default	≥ 1kV < 66KV	N/A	500	workdays 7am-7pm	Non-peak times	workdays 7am-7pm	1-4pm or 4-7pm
Sub-transmission	ST2	Default	≥ 66kV	N/A	5000	workdays 7am-7pm	Non-peak times	workdays 7am-7pm	4-7pm

Notes:

- All times are local time
- Summer period covers December to March, non-summer is April to November
- All tariffs require an interval meter capable of recording E, Q, B, K data stream
- Customers who opt in to **LLV1**, **LLV2**, **HV1** and **HV2** cannot later opt out of these tariffs
- Tariffs ending with "1" represent 1-4pm, tariffs ending with "2" represent 4-7pm summer incentive demand period
- If measured 12-month rolling demand is less than minimum chargeable demand, then minimum chargeable demand is used to calculate the 12-month rolling demand charge
- Minimum demand value will only apply to large customers rolling demand, minimum chargeable demand 120 KVA will be applied for low voltage, 500 KVA for high voltage and 5 MVA for sub-transmission

FIGURE 3 TARIFF DECISION TREE



Please refer to each individual tariff criteria for eligibility

2.5 Further information on kVA demand

The following section outlines the kVA tariff policy which involves the calculation of maximum demand charges which applies to large low voltage, high voltage and sub-transmission customers.

2.5.1 Calculation of the kVA demand tariff for a monthly bill

TABLE 7 CALCULATION OF THE KVA DEMAND TARIFF FOR MONTHLY BILL

Tariff components	Calculation
12-month rolling demand charge	\$ per kVA per month x 12-month rolling maximum kVA
Summer incentive demand charge	\$ per kVA per month x incentive kVA
Peak usage charge	cents per peak kWh x peak kWh in month / 100
Off peak usage charge	cents per off-peak kWh x off-peak kWh in month / 100

2.5.2 Rolling demand maximum kVA

15-minute demand is calculated as:

$$\text{kVA} = \sqrt{\text{kW}^2 + \text{kVAr}^2}$$

Where:

kW = kWh in a 15-minute period x 4

kVAr = kVArh in a 15-minute period x 4

Maximum 15-minute kVA demand measured between 7am and 7pm local time on workdays over the prior 12 months.

Minimum chargeable demand of 120kVA for low voltage large customers, 500 kVA for high voltage customers and 5,000 kVA for sub-transmission customers.

If there is a full 12-month history of the customer's consumption data, the rolling 12-month maximum kVA demand will take effect immediately looking back 12 months.

Demand for greenfield sites will be measured from energisation date to the end date of the bill, until 12 months of history is available when it will revert to a 12-month rolling demand.

2.5.3 Summer incentive demand kVA

Summer incentive KVA is the maximum monthly 15-minute kVA for the December to March months. There is no charge for the other eight months of the year. Maximum monthly kVA is based on a fixed either a 1-4pm or 4-7pm measurement period on each workday of the applicable months. Each customer will be assigned to one of these two measurement periods.

2.5.4 Peak and off-peak usage

Peak usage is kWh usage between 7am and 7pm local time on workdays.

Off-peak usage is kWh usage at all other times.

2.5.5 Demand exclusions

The exclusion of temporary increases in demand from the 12-month rolling maximum demand charged to the customer at a supply point will be considered at our discretion. For example, if there is a specific, short-term need, such as commissioning a new plant. The customer must apply via their retailer in advance for a temporary increase in demand to be excluded from the supply point's 12-month rolling maximum demand charge.

2.5.6 Demand reset criteria

A 12-month rolling demand reset may be granted under the following circumstances:

- install power factor correction (PFC) equipment and supply a copy of the Certificate of Electrical Safety (CES) to confirm the installation. If granted, demand will be measured from the date of commissioning of the PFC equipment
- if PFC has not been installed, provide evidence of what the customer has changed on site to permanently alter the load/usage, for instance, removal of equipment. Evidence may be in the form of a CES detailing the works performed, technical information and/or photographic evidence to demonstrate the site changes
- customers that have moved into a premise will automatically continue to have their maximum demand charge based on the 12-month rolling maximum demand. A customer will need to lodge an application for their demand to be measured from the date they occupied the premises.

2.5.7 Criteria to move away from large business tariff

Option 1 - Limiting supply capacity

We will require confirmation that the load for the connection point is/has been limited to 200 amps per phase to ensure the site cannot exceed a demand greater than 120 kVA. The load can be limited by a supply capacity control device (SCCD) or other types of load limiting devices. If an SCCD exists, an electrician may be required to attend to limit the amps. We will require a copy of the CES as evidence of the works completed on site.

Option 2 - "opt out" of network demand tariff (new tariff code NDMO21)

To opt a customer out of a network demand tariff, the following criteria must be satisfied:

- A customer's aggregate consumption must be less than 160MWh per annum
- A customer must apply directly to a retailer to opt-out via written or oral notice
- The retailer must supply a copy of customer's Retailer invoice confirming a demand component is being charged

2.5.8 Power factor correction

Customers installing power factor correction equipment will need to be cognisant of their obligations under the Victorian Electricity Distribution Code to keep harmonic distortion and power factor within prescribed levels. Power factor correction equipment has the potential to exacerbate harmonic distortion and can cause a leading power factor during times of low demand if the equipment is not designed properly.

If a customer installs power factor correction equipment, they may apply for their 12-month rolling maximum demand to be calculated from the date of commissioning of the equipment. This will only be granted where there is an observable improvement in power factor. Seasonal demand profiles will also be taken into account.

2.5.9 Applying for a tariff change

Residential, small business and medium business

- Retailers may submit a tariff change request which will be granted if the customer satisfies the relevant tariff threshold.
- The preferred method of requesting us to change a tariff is via B2B service order type: Supply Service Works, sub-type Tariff Change. Requests can be automatically processed by using the following inputs in the Special Instructions field for the service order.

Tariff changes with an effective date in the past

- Please add the text TAPPLY in the special instructions if you would like the tariff changed as at a date in the past. This will be a date as at the latest Retailer transfer date, limited to 10 business days ago. This

means that the effective date will not be more than 10 business days in the past but would be changed on a transfer date within this period

Tariff changes with an effective date today

- Please add the text SAPPLY in the special instructions if you would like the tariff changed as at the request date. This means that the tariff will be changed with an effective date which is the same as the day you sent the request.

2.5.10 Large businesses

- Please refer all kVA demand-based network tariff change requests to our Major Accounts team by emailing our inbox: MajorAccounts-PAL@powercor.com.au
- Customers can opt into the full tariff and will remain on that tariff until 30 June 2026
- Any tariff change requests to move away from or on to the Large tariffs are to be referred to the Major Accounts Team.

3. Alternative control services

Alternative control services are regulated services we offer that are customer initiated or requested and are directly recovered from customers seeking the service.

Alternative control services are:

- ancillary network services
- public lighting services
- metering coordinator services.

All prices are exclusive of GST.

Business hours and after hours

Table 8 demonstrates the differences between business and after hours

TABLE 8 OVERVIEW OF BUSINESS AND AFTER HOURS

Hours of Operation Details	
Business hours	8am-5pm Monday to Friday (excluding public holidays)
After hours	All other times and only where resources are available

We endeavour to perform all alternative control services within business hours, however if a circumstance arises where after hours activities are required, this work can only be undertaken where resources are available.

The following sections list and describe the various charges classified as ancillary network services which apply throughout the area served by us. Ancillary network services are non-routine types of services which are provided to individual customers on an ‘as needs’ basis. Ancillary network services are divided into two subclasses:

- fee based
- quoted services.

One of the two ‘failed field visit’ charges (refer 3.1.10 and 3.1.11) is applied in situations where we have arrived at the site to undertake works, however the crew are unable to complete the work due to circumstances that are the responsibility of the customer (i.e., restricted access, contractor not ready, customer equipment not in reasonable state or the site is defective etc.). When the issue(s) have been resolved another request will need to be raised and the service charge will apply.

3.1 Fee based services

Fee based services are activities which are charged on a per activity basis.

3.1.1 New Connection - where we are the metering coordinator

A combined connection and metering service is provided by us as both the electricity distributor and the metering coordinator. We are therefore responsible for the metering.

This charge applies when:

- a customer with a supply point with fuses less than 100 amps moves into a new premises and requests supply and metering. Different charges apply depending on whether the meter is single or multi-phase direct connected (DC)
- a customer with a supply point with fuses greater than 100 amps moves into a new premises and requests supply and current transformer (CT) metering.

The charge applies where a request is made for a new supply connection at a specified address, including unmetered supply sites but excluding the supply is for security lighting (also known as watchman lighting).

Different charges apply depending on whether the service is provided during or after business hours.

This charge also applies where a builder wishes to provide permanent or temporary supply to new properties under construction. On occasions when a 'builder's temporary supply' is installed and subsequently replaced with a permanent supply, each new connection is considered a distinct site visit and separate new connection charges are applied:

- the first to the builder for establishing a new connection for which the builder uses supply for construction purposes
- second new connection charge to the customer for connecting the supply. This charge includes the removal/disconnection of the overhead service/underground cable and meter supplying the temporary supply pole where applicable.

A failed field visit (complex task) is applied when we are unable to complete the task.

3.1.2 New Connection - where we are not the metering coordinator

We also provide a new connection service where we are not the metering coordinator. The only difference between this charge and the 'new connection – where we are the metering coordinator' charge is that we are not responsible for the metering.

A failed field visit (complex task) is applied when we are unable to complete the task.

3.1.3 Meter/NMI/site investigation

This charge applies when a request is received to investigate the metering/connection at a given supply point. This request may be initiated by either the retailer or a customer. Different charges apply depending on whether the service is provided during or after business hours.

A failed field visit (complex task) is applied when we are unable to complete the task.

3.1.4 Manual de-energisation

A disconnection (includes disconnections for non-payment) charge applies when a request for fuses less than 100 amps are de-energised by a field visit. The service requires that all supply assets remain at the customer's installation.

If at the time of disconnection, it is discovered that the installation has been damaged or is defective and will be unsafe to energise, other charges may be applicable once the defect is repaired. These charges will be based on the nature of the works required.

Where the request for disconnection is received by us before 3pm, the disconnection will occur within 2 business days or the earliest permissible day thereafter.

In a normal instance a de-energisation is performed by a special reader. However, there are scenarios where an isolation is required, and accordingly an isolation charge will be applied (see 'isolation of supply or reconnection, excluding HV (single)' and 'isolation of supply and reconnection after isolation, excluding HV (same day)'). Some examples where an isolation may be required include:

- no access to distribution equipment - metering and main fuse, including a veranda restricting access to the main fuse
- no isolation point, necessitating disconnection at the pole
- multiple national metering identifiers (NMI) fused at a common isolation point
- CT metered site
- isolation point in restricted area – substation
- safety disconnection for non-prescribed electrical works

- special reader is not available after hours and an alternative time is not acceptable to the customer.

A failed field visit (simple task) is applied when we are unable to complete the task; however, if an isolation is required and we are unable to complete the task, a failed field visit (complex task) is applied.

3.1.5 Manual re-energisation

A re-energisation charge applies when a request is received to re-energise a supply point for fuses less than 100 amps by a field visit. Two options for re-energisation are available:

- manual re-energisation (same day)—where the request is received and carried out on the same day
- manual re-energisation (incl. customer transfer)—where the request is received one day and carried out on a different day.

If the re-energisation is required on the same day and we receive the request before 3pm, the 'manual reenergisation (same day)' charge will be applied, and the reconnection will occur that day.

If the re-energisation is required for the next business day and we receive the request before 3pm on the previous business day the 're-energisation (incl. customer transfer)' charge is applied.

The charge will not be applied when:

- the customer changes retailer on a scheduled read
- the customer changes name.

The same conditions and applications of the isolation charges or failed field visit charges apply as for the 'manual de-energisation' charge above.

3.1.6 Isolation of supply or reconnection, excluding HV (single)

This charge applies when a customer (or the customer's contractor) is doing works at the site and requests a temporary isolation of supply to allow the customer and/or contractor to perform the planned work on the customer's assets (or work close the assets, or for other safety reasons).

The charge also applies when the customer (or the customer's contractor) requests a reconnection of supply after the isolation, on different date or after hours. Additional types of isolations that are included under this charge are (for example): requests for disconnection at the point of supply (i.e., pole or pit) and service line isolations in association with No Go Zone applications.

The charge does not apply to any isolations or reconnections of high-voltage (HV) assets.

Different charges apply depending on whether the service is provided during or after business hours.

A failed field visit (complex task) is applied when we are unable to complete the task.

3.1.7 Isolation of supply and reconnection after isolation, excluding HV (same day)

This charge applies when a customer (or the customer's contractor) requires: 1) a temporary isolation of supply to enable works on the customer's asset (or the near the asset or for other safety reasons), as well as 2) reconnection of supply after the works are done, to be carried out on the same day (during business hours) and the exact same site.

In this case, the customer (or the customer's contractor) must pre-arrange both an isolation of supply and a reconnection of the same point of supply at the time of requesting services, and the works must be planned for the same day during business hours. For example, when an electrician is carrying out works at a site and requires a temporary isolation at a certain time of the day and pre-arranges the reconnection an hour later (or any other time within the business hours of the same day), this charge applies.

Any other isolation and reconnection requests, or if any of the works are carried out after hours, should be charged using the single isolation and reconnection charge. The charge does not apply to any isolations or reconnections of HV assets.

A failed field visit (complex task) is applied when we are unable to complete the task.

3.1.8 Standard alteration

This charge is for alterations that are standard in nature, including but not limited to the following services:

- install or remove controlled load
- move meter to new position
- relocate point of attachment or service
- replace meter panel
- re-route mains to new pit
- upgrade maximum demand or change supply capacity control.

If multiple of the above services are required for the customer's alteration, this would be deemed a complex alteration.

Different charges apply depending on whether the service is provided during or after business hours.

A failed field visit (complex task) is applied when we are unable to complete the task.

3.1.9 Complex alteration

This charge is for alteration services of a complex nature, including but not limited to the following services:

- change overhead to underground
- change to group metering panel
- upgrade phase
- CT metering services.

It also includes multiple services during the same site visit, for example a customer requests a metering panel replacement and moving a meter to a new position in the same visit.

Different charges apply depending on whether the service is provided during or after business hours.

A failed field visit (complex task) is applied when we are unable to complete the task.

3.1.10 Failed field visit (complex tasks)

This charge applies when the customer (or the customer's contractor) requests a certain type of service, however, when the crew arrive at the site, they are unable to complete the work due to circumstances that are the responsibility of the customer (i.e., restricted access, contractor not ready, etc.). The charge applies when the following services were requested, and the crew were unable to complete work:

- new connections and/or abolishment's
- any isolation or reconnection after isolation
- any alterations (standard or complex)
- any CT meter works.

Different charges apply depending on whether the failed field visit was during or after business hours.

3.1.11 Failed field visit (simple tasks)

This charge applies when the following services have been requested by the customer (or the customer's contractor), however, when the crew arrive at the site, they are unable to complete the work due to circumstances that are the responsibility of the customer (i.e., restricted access, contractor not ready, etc.):

- meter/NMI investigation

- manual re-energisation or manual de-energisation
- any meter accuracy test or meter reading (see section 3.5.7 on metering coordinator services).

3.1.12 Product reference tables - fee based ancillary network services

TABLE 9 FEE BASED ANCILLARY NETWORK SERVICES (GST EXCLUSIVE)

Section reference	Alternative control service	Product code	Business hours, \$	Product code	After hours, \$
New connection where we are the metering coordinator					
3.1.1	Single phase	NCSBH	605.52	NCSAH	737.09
3.1.1	Multi-phase DC	MDCBH	749.93	MDCAH	893.91
3.1.1	Multi-phase CT	MCTBH	2,936.27	MCTAH	3,955.30
New connection where we are not the metering coordinator					
3.1.2	Single phase	NSPBH	566.36	NSPAH	687.15
3.1.2	Multi-phase DC	NMDBH	710.76	NMDAH	843.97
3.1.2	Multi-phase CT	NMCBH	2,511.30	NMCAH	3,094.34
All other charges					
3.1.3	Meter/NMI/site investigation	MITBH	479.73	MITAH	596.90
3.1.4	Manual de-energisation	DISBH	67.28	N/A	N/A
3.1.5	Manual re-energisation (incl. customer transfer)	RCTBH	63.31	N/A	N/A
3.1.5	Manual re-energisation (same day)	RSDBH	103.14	N/A	N/A
3.1.6	Isolation of supply or reconnection, excluding HV (single)	IOSBH	440.04	IOSAH	608.25
3.1.7	Isolation of supply and reconnection after isolation, excluding HV (same day)	ISSBH	809.59	N/A	N/A
3.1.8	Standard alteration	SALBH	760.43	SALAH	1,051.06
3.1.9	Complex alteration	CALBH	945.12	CALAH	1,306.38
3.1.10	Failed field visit (complex tasks)	FVCBH	415.78	FVUAH	521.79
3.1.11	Failed field visit (simple tasks)	FVSBH	55.57	N/A	N/A

3.2 Quoted Ancillary Network services

Quoted ancillary network services are charges levied on a time and materials basis where the services are highly variable.

All quoted services are based on the greater of actual hours worked or minimum chargeable hours, multiplied by the approved labour rates plus contractor service and materials used. Labour rates on which quotes are based on include:

- administration
- field
- technical
- engineer
- senior engineer.

Labour is billable based on business and after hour rates.

The quoted services we provide are outlined in the table below.

TABLE 10 QUOTED SERVICES WE PROVIDE

Quoted services	Description
Complex supply abolishment	This charge applies when a customer requests permanent removal of our supply assets on a complex site. For example, when supply is directly from a sub-station, when the abolishment requires a design to be completed safely, or when the supply is more than 100 amps.
Rearrangement of network assets at customer request, excluding public lighting assets	This charge applies when a customer requests capital work for which the prime purpose is to satisfy a customer requirement other than new or increased supply, other than where Guideline 14 applies. For example, a customer requests a removal or relocation of service to allow work on private installation.
Audit design and construction	<p>This charge applies when either a third party requests or we deem it necessary to review, approve or accept work undertaken by a third party. Examples include:</p> <ul style="list-style-type: none"> • customer provided buildings, conduits or ducts used to house our electrical assets • customer provided connection facilities including switchboards used in the connection of an electricity supply to their installation • any electrical distribution work completed by our approved contractor that has been engaged by a customer • provision of system plans and system planning scopes, for designers engaged by the customer • reviewing and/or approving plans submitted by designers engaged by the customer.
Specification and design enquiry	<p>This charge applies when design or network planning is required to fairly assess the costs so that an offer can be issued to a customer. Examples include:</p> <ul style="list-style-type: none"> • the route of the network extension required to reach the customer's property • the location of other utility assets • environmental considerations including tree clearing • obtaining necessary permits from State and Local Government bodies • assessment of design and network planning options • specialist services (which may involve design related activities and oversight/inspection works) where the design or construction is non-standard, technically complex or environmentally sensitive and any enquiries related to distributor assets.
Elective undergrounding	This charge applies when a customer could receive an overhead service but requests an underground service, other than where Guideline 14 applies. For example, a customer requests an underground service where we would consider it safe and prudent to install an overhead service.
High load escorts—surveying and lifting overhead lines	This charge applies when a third party requires safe clearance of overhead lines to allow high load vehicles to pass along roads. This includes surveying and lifting of overhead lines.
High profile antenna installation	This charge applies when customers request to install a high profile antenna to an existing smart meter

Quoted services	Description
No-go zone safety-related services	This charge applies when a customer or third party requests services related to ensuring safety of no-go zone around our assets, including a supply isolation, covering assets with tiger tails and aerial markers, and other related works. For example, a customer/third party is conducting building works at a site near our assets where visual markers (tiger tails) are required for safety.
Reserve feeder maintenance	This charge applies when a customer requests continuity of electricity supply should the feeder providing normal supply to their connection experience interruption. The fee covers the maintenance of the service, it does not include the capital required to implement or replace the service as this is a negotiated connection service
Alteration and relocation of public lighting assets	This charge applies when a customer or a third party requests alteration, rearrangement or relocation of public lighting assets.
New public lighting services including greenfield sites and new light types	This charge applies when a customer or a third party request an installation of new public lighting assets, including new light types and emerging light technologies.
Access to network data - cumbersome requests	This charge applies when a customer or a third party requests electricity network data, including aggregates smart meter data, outside of legislative obligations. For example, a third party requests large quantities of aggregated data outside of our standard practices of legislative obligations. This typically involves aggregating a combination of different meters together, using either the network or other geospatial information.
Complex isolations and alterations, including HV	This charge applies when a customer requests an isolation of supply (e.g. to allow customer and/or contractor to perform maintenance on the customer's assets, work close to or for safe approach) of HV assets or where there are more complex/larger scale works isolation or alternations. This also includes where works are requested to be perform after hours for multi-occupancy or complex sites. For example, after-hours isolation for customer side works at a large multi-occupancy site, such as a caravan park.
Alterations to the shared distribution network assets	This charge applies when a customer or third party initiates alterations or other improvements to the shared distribution network to enable the third party infrastructure (e.g. NBN Co telecommunications assets) to be installed/altered on the shared distribution network.

Note: A failed field visit (complex task) is applied when we are called to the site and unable to complete the task.

3.2.1 Product reference tables - quoted ancillary network services

TABLE 11 QUOTED SERVICES LABOUR RATES (GST EXCLUSIVE)

Section reference	Labour type	Product code	Business hours, \$/hour	Product code	After hours, \$/hour
3.2	Administration	ADMBH	111.64	N/A	N/A
3.2	Field	FIEBH	206.79	FIEAH	266.52
3.2	Technical	TECBH	206.79	TECAH	299.45
3.2	Engineer	ENGBH	181.43	ENGAH	290.96
3.2	Senior engineer	SENBH	237.25	SENAH	379.92

Note: Quoted service labour categories are inclusive of allowable overheads

TABLE 12 QUOTED SERVICES PRODUCT CODES (GST EXCLUSIVE)

Section reference	Quoted service	Product codes
3.2	Complex supply abolishment	SABOL & 511042
3.2	Rearrangement of network assets at customer request, excluding public lighting assets	511021
3.2	Audit design and construction	511024
3.2	Specification and design enquiry	511025
3.2	Elective undergrounding	511026
3.2	High load escorts—surveying and lifting overhead lines	511028
3.2	High profile antenna installation	511362
3.2	No-go zone safety-related services	511363
3.2	Reserve feeder maintenance	RFS; RFHV; RFLV
3.2	Alteration and relocation of public lighting assets	511364
3.2	New public lighting services including greenfield sites and new light types	511365
3.2	Access to network data - cumbersome requests	511366
3.2	Complex isolations and alterations, including HV	511367
3.2	Alterations to the shared distribution network assets	511368
3.2	Nightwatchman lights	511369

3.3 Public lighting services

We provide public lighting services for local councils and Victorian Department of Transport. The provision of public lighting services and the respective obligations of our business and public lighting customers are regulated by the Victorian Public Lighting Code. The following services are included:

- operation of public lighting assets; including handling enquiries and complaints about public lighting and dispatching crews to repair public lighting assets
- maintenance, repair and replacement of public lighting assets.

The cost of these services is charged to customers through an operation, maintenance, repair and replacement (OM&R) charge per each light.

All other public lighting services are treated as quoted (see table 12).

Where a public lighting customer requests the replacement of a light with another light of a different type, then the activities required to fulfil this request fall outside of general OM&R activities. In this circumstance the following charges (rebates) are applied:

- replacement luminaire – written down value (WDV) recovery (charge)
- replacement luminaire - avoided costs (rebate)

The prices for the written down values and avoided cost rebates were included in the AER's final decision public lighting model. For transparency, we have included these prices in our 2024/25 public lighting price list.

3.3.1 Product reference tables - Public lighting OM&R, WDV and avoided cost

TABLE 13 PUBLIC LIGHTING OM&R (GST EXCLUSIVE)

Public lighting charges	Product code	Product code	Product code	OM&R, \$
	4/10 share	6/10 share	full share	
Mercury vapour 80 watt	510815	510836	510072	77.03
Sodium high pressure 150 watt	510816	510837	510076	127.10
Sodium high pressure 250 watt	510817	510838	510077	127.36
Mercury vapour 125 watt	510818	510839	510073	103.99
Mercury vapour 250 watt	510824	510845	510074	96.80
Mercury vapour 400 watt	510819	510840	510075	112.08
Sodium high pressure 400 watt	510825	510846	510078	169.40
Metal halide 250 watt	511127	511129	510521	169.40
Metal halide 400 watt	511128	510849	510522	169.40
Metal halide 70 watt	511129	510850	511117	163.30
T5 2X14W	510830	510851	510662	64.00
T5 2X24W	510831	510852	510664	62.96
CF32	511133	511135	511055	61.52
CF42	511134	511136	511056	61.52
Category P LED Standard Output	511164	511165	511166	30.06
Category P LED High Output	511146	511147	511145	30.06
Category V LED L1 Standard Output	511254	511257	511251	60.86
Category V LED L2 Medium Output	511255	511258	511252	67.45
Category V LED L4 High Output	511256	511259	511253	76.38
WDV			420372	74.52
Avoided cost			420371	- 36.40

3.4 Unmetered Supplies

Non-contestable unmetered load (NCONUML)

NCONUMLs are different to contestable unmetered loads (type 7 or public lighting) as NCONUML device loads are not predictable and not registered with AEMO on the load table. In Victoria, only streetlight public lighting is permitted to be a contestable unmetered load.

NCONUMLs are permitted, when in the reasonable opinion of the network, the cost of installing, testing and maintaining new metering equipment is likely to exceed the amount paid for the supply and sale of electricity.

The network is not responsible for asset maintenance and supply is for energy use only.

If the network needs to perform maintenance to its assets which the NCONUML is connected to, the customer shall, at its own cost, be responsible for disconnection.

Load and Load Profile

Within the National Electricity Market (NEM), the load and load profile for an unmetered device is needed to facilitate billing. In the absence of a network device or sample meter, the customer, retailer and network must agree to a load profile for each device type connected to the network.

Permissible Device Types

The types of devices permitted to be connected as NCONUMLs must be controlled and their load and load patterns must be agreed between the network, customer and the retailer.

3.5 Metering coordinator services

Since 1 December 2017, the responsible person role was replaced by the metering coordinator role. We are the metering coordinator for types 5, 6 and 7 meters. We are responsible for metering coordinator services associated with types 5, 6 and 7 meters which are installed in residential and small commercial premises consuming up to 160 megawatt hours (MWh) per annum. The services provided in relation to these meters include:

- meter provision—includes purchasing meters and installing these meters at the customer's premise
- meter maintenance—includes inspecting, testing, maintaining and repairing meters
- meter replacement—replacement of a meter and associated equipment, at a site with existing metering infrastructure, with a modern equivalent where the meter has reached the end of its economic life
- meter reading and data services—includes collection, processing, storage and delivery of metering data to other participants for billing and market settlement purposes and the management of the relevant NMI
- meter communications—includes maintaining and installing communication devices required to operate the mesh radio network and management of the day-to-day operation of the meter communications systems including meter data delivery, testing, fault detection, investigation and resolution.

One of the two 'failed field visit' charges (refer to 3.1.10 and 3.1.11) is applied in situations where we have arrived at the site to undertake works, however the crew are unable to complete the work due to circumstances that are the responsibility of the customer (i.e., restricted access, contractor not ready, customer equipment not in reasonable state or the site is defective etc.). When the issue(s) have been resolved another request will need to be raised and the service charge will apply. The following section details fixed fee ancillary service related to metering.

3.5.1 Meter accuracy test

This charge applies when a request is made to test the accuracy of a meter at a given supply point.

A failed field visit (simple task) is applied when we are unable to complete the task.

3.5.2 Meter accuracy test – additional meters

This charge applies where multiple meters are being tested for accuracy. We will only apply this fee where we have charged the "meter accuracy test" for the first meter tested and we are then testing additional meters at the site on same visit. We will apply this lower charge for each additional meter tested.

3.5.3 Remote meter reconfiguration

The remote reconfiguration charge applies when a request is received to reconfigure a smart meter and has the related infrastructure in place.

3.5.4 Special reading

The special meter reading charge applies when a request for a special meter read is to be performed by a field visit outside the scheduled meter reading cycle. Where customers have multiple metering installations, such as farms and units, a separate charge applies to each meter on the property. This charge is only available during business hours.

3.5.5 Manual meter reading charge – basic or manually read interval meter

A charge for manually reading a basic or manually read interval meter.

A failed field visit (simple task) is applied when we are unable to complete the task.

3.5.6 Meter exit fees

The meter exit fees are charged for each meter at a premises in cases where the customer moves to a competitive meter services provider, or when a site is converted to an embedded network. There is one charge for each of the following types of meters:

- single phase
- three phase DC meter
- three phase CT connected meter
- basic or manually read interval meter.

3.5.7 Product reference tables - metering coordinator services

TABLE 14 ANCILLARY SERVICES RELATED TO METERING (NOMINAL, GST EXCLUSIVE)

Metering charges	\$/NMI/year
Single phase meter	67.00
Three phase direct connected meter	74.20
Three phase CT connected meter	125.00

TABLE 15 ANCILLARY SERVICES RELATED TO METERING (NOMINAL, GST EXCLUSIVE)

Section reference	Alternative control service	Product code	Business hours, \$	Product code	After hours, \$
3.5.1	Meter accuracy test	MATBH	552.81	MATAH	690.18
3.5.2	Meter accuracy test - additional meters	MATAM	259.33	N/A	N/A
3.5.3	Remote meter reconfiguration	RMR	65.88	N/A	N/A
3.5.4	Special reading	SRBH	55.57	N/A	N/A
3.5.5	Basic or manually-read interval meter	SRBH	55.57	N/A	N/A

TABLE 16 METERING EXIT FEES (NOMINAL, GST EXCLUSIVE)

Section reference	Metering exit fees	Product code	\$
3.5.6	Single phase	MEFSP	362.60
3.5.6	Three phase DC	MEFDC	418.69
3.5.6	Three phase CT	MEFCT	688.00
3.5.6	Basic or MRIM all	MEFBM	52.94

3.6 Reserve feeder services

We provide reserve feeder services to customers on request. The installation of a reserve feeder is paid for by the customer upfront. The changes below are for the ongoing operating and maintenance of reserve feeders.

TABLE 17 RESERVE FEEDER CHARGES

Voltage level	Product code	\$/kVA/year
Low voltage	RFLV	13.18
High voltage	RFHV	10.13
Sub-transmission	RFS	1.55

Notes:

- the reserve feeder maintenance charge applies when a customer requests continuity of electricity supply should the feeder providing normal supply to their connection experience interruption.

- the reserve feeder capacity is made available from an alternative feeder that has the available capacity to facilitate the requirements that the customer has nominated. The feeder facilitating reserve capacity may emanate from another zone substation or an alternative bus from the same zone substation facilitating electricity supply to the substation on the customer site.
- the fee covers the operation and maintenance of the service, it does not include the capital required to implement or replace the service as this is covered in the connection agreement.